



Reusche Colors Commercial Decorating Supplies

PROVIDING DECORATING SOLUTIONS FOR OVER 100 YEARS



- Organic & Inorganic colors for glass & ceramics
- Lead & cadmium-free colors available
- Custom color matching
- Premixing available
- Oils & mediums
- Small and large quantities available
- Excellent customer service
- Fast turnaround times

Reusche Colors

Commercial Decorating Supplies

Table of Contents

LEAD-FREE COLORS	PAGES 3 - 4
COLORS FOR CONTAINER-TYPE GLASS, CERAMIC WARE, ART GLASS, & SCIENTIFIC WARE	PAGES 5 - 7
ONGLAZE COLORS FOR BONE CHINA, VITREOUS CHINA, EARTHENWARE, & PROCELAIN	PAGE 8
OILS & MEDIUMS	PAGES 9 - 10
BRUSHES	PAGE 11
SUNDRY ITEMS	PAGE 12
TERMS & CONDITIONS	PAGE 13



**All Reusche Colors are sold
in Powder form unless otherwise
requested.**

1 KG (kilogram) = 2.2 pounds



**All Reusche Colors can be Pre-Mixed
upon request (Hot, Cold, or for Spray)**

5 POUND MINIMUM - COLD

20 POUND MINIMUM - HOT

10 POUND MINIMUM - SPRAY

Please see Oils & Mediums on Pages 9 - 10

Reusche Colors

Commercial Decorating Supplies

Lead Alternatives

Decorators' Choice - Firing Temperature 1100 - 1180° F (593 - 637° C)

Formulated without lead or cadmium using a zinc borosilicate frit

(FOR USE ON COSMETIC BOTTLES, AD SPECIALTY ITEMS, AND NON-RETURNABLE BOTTLES)

Product #	Description	Product #	Description
RC1001	Transparent Etch	RC3501	Turquoise
RC1002	Opaque Etch	RC4001	Ocean Blue
RC1003	White	RC6001	Butterscotch Brown
RC1004	Underall White	RC6002	Java Brown
RC2001	Aspen Yellow	RC6003	Amber Brown
RC3001	Jelly Bean Green	RC6004	Chocolate Brown
RC3002	Kelly Green	RC7001	Best Black
RC3003	Chrome Green	RC7002	Stiff Black

Decorators' Choice with Cadmium Option - Firing Temperature 1100 - 1180° F (593 - 637° C)

Formulated without lead using a zinc borosilicate frit

(FOR USE ON COSMETIC BOTTLES, AD SPECIALTY ITEMS, AND NON-RETURNABLE BOTTLES)

Product #	Description	Product #	Description
RZ1000	Clear	RZ5001	Iron Red #1
RZ1001	White	RZ5003	Red (Contains Cadmium)
RZ1002	Extreme White	RZ5004	Orange Red (Contains Cadmium)
RZ1003	Etch #1	RZ5005	Orange (Contains Cadmium)
RZ2002	Citrus Yellow	RZ5006	Ruby Red (Contains Cadmium)
RZ2003	Metallic Gold	RZ6001	Autumn Brown
RZ2004	Yellow (Contains Cadmium)	RZ6002	Rust Brown
RZ3001	Green	RZ6003	Chocolate Brown
RZ3002	Turquoise	RZ6004	Brown (Contains Cadmium)
RZ3003	Chrome Green	RZ7001	Black
RZ4001	Blue	RZ8001	Peach
RZ4002	Intense Blue		
RZ4003	Baby Blue		

High Gloss Unleaded Overglaze Colors - Firing Temperature 1250 - 1450° F (670 - 788° C)

(FOR USE ON COSMETIC BOTTLES, AD SPECIALTY ITEMS, AND NON-RETURNABLE BOTTLES)

Product #	Description	Product #	Description
HGU5001	Flux	HGU5014	Flag Blue
HGU5005	White	HGU5015	Green
HGU5011	Raven Black	HGU5016	Gingerbread
HGU5012	Rustic Brown	HGU5017	Deep Ocean
HGU5013	Dark Earth	HGU5018	Tropical Green

WARNING: The materials used to manufacture the products in this catalog may contain lead and/or cadmium. Please refer to each product's [Safety Data Sheet](#).

Reusche Colors

Commercial Decorating Supplies

Lead Alternatives

“Series 5” Colors - Firing Temperature 1150 - 1400° F (621 - 760° C)

Formulated without lead or cadmium using a bismuth borosilicate frit

(FOR USE ON GLASS AND CERAMICWARE, HIGH FIRE AD SPECIALTY ITEMS, AND ARTWARE)

<u>Product #</u>	<u>Description</u>	<u>Product #</u>	<u>Description</u>
50R001	Clear Glaze	56R002	Bistre Brown E402
51R001	Snow White	56R003	Umber Brown E403
51R002	True White	56R004	Ancient Brown E404
51R003	Satin Etch	56R005	Ancient Brown E405
51R500	Flesh Rachel	56R006	Sepia Brown
51R501	Blonde Flesh	56R007	Bistre Brown
51R502	Brunette Flesh	56R008	Hair Brown
51R503	Reflected Light	56R009	Light Hair Brown
51R504	Flesh	56R010	Medium Hair Brown
52R001	Yellow	56R011	Dark Brown
52R002	Soft Yellow	56R012	Meissen Brown
53R002	Blue Green	56R013	Red Brown
53R003	Dark Green	56R014	Yellow Brown
53R004	Apple Green	56R015	Light Yellow Brown
53R005	Black Green	56R016	Finishing Brown
54R001	Strong Blue	56R501	Ivory Tan
54R002	Pastel Blue	57R001	Tracing Black E401
54R003	Teal Blue	57R002	Tracing Black E458
54R005	Dark Blue	57R003	Tracing Black #61
55R001	Flesh Red F476	57R005	Best Black
55R002	Persian Red	57R501	Dark Grey
55R003	Pompadour Red	57R502	Silver Grey
55R004	Violet of Iron	57R503	Pearl Grey
55R005	Blood Red	58R001	Rose Pink
56R001	Umber Brown 1139	59R001	Blue Violet Purple

WARNING: The materials used to manufacture the products in this catalog may contain lead and/or cadmium. Please refer to each product's **Safety Data Sheet**.

Reusche Colors

Commercial Decorating Supplies

Lead-Containing

Soft Alkaline Resistant Colors - Firing Temperature 1120 - 1140° F (604 - 615° C)

Low firing glass colors containing lead and/or cadmium

(FOR USE ON GLASSWARE THAT NEEDS TO BE FIRED AT LOWER TEMPERATURES TO AVOID GLASS DEFORMATION)

Product #	Description	Product #	Description
D201573	White	D26173	Chrome Green
D20511	White	D26191	Turquoise Green
D211823	Yellow Red	D261934	Chrome Green
D211829	Maroon	D261938	Blue Green
D21213	Blood Red	D271542	Pool Blue
D21364	Maroon	D271874	Cobalt Blue
D22125	Rose Pink	D273057	Powder Blue
D22429	Baby Pink	D273887	Green Blue
D23034	Yellow Brown	D273894	Red Blue
D23149	Lemon Yellow	D273907	Dark Blue
D23258	Ivory	D27440	Columbine Blue
D232781	Green Yellow	D27768	Turquoise Blue
D232785	Orange Yellow	D28055	Salmon
D232791	Gold Yellow	D28108	Orange
D23374	Yellow	D281095	Orange
D24114	Black	D28155	Apricot
D242012	Black	D28581	Halloween Orange
D24485	Grey	D29153	Bone
D25199	Green Yellow	D292021	Flesh
D252173	Green	D293354	Red Brown
D25536	Aqua	D293361	Brown
D261235	Olive Green	D293364	Buff
D26171	Kelly Green	D29497	Tan

Blendable, Low-Lead Release Colors - Firing Temperature 1120 - 1160° F (600 - 630° C)

(FOR USE ON TUMBLER/CONTAINER-TYPE WARE, AD SPECIALTY ITEMS, SODA LIME, SILICA, AND CERAMICWARE)

Product #	Description	Product #	Description
D206000	White	D276033	Green Blue
D216025	Yellow Red	D276035	Red Blue
D216028	Maroon	D276036	Dark Blue
D236036	Green Yellow	D286023	Orange
D236037	Orange Yellow	D296031	Red Brown
D236038	Gold Yellow	D296032	Brown
D246014	Black	D296033	Buff
D256022	Green Yellow	D296034	Dark Brown
D266017	Chrome Green	D296035	Dark Brown
D266018	Blue Green	61R012	White
		61R013	Vivid White

WARNING: The materials used to manufacture the products in this catalog may contain lead and/or cadmium. Please refer to each product's [Safety Data Sheet](#).

Reusche Colors

Commercial Decorating Supplies

Lead-Containing

Preferred Leaded Colors - Firing Temperature 1120 - 1160° F (600 - 630° C)

(FOR USE ON TUMBLER/CONTAINER-TYPE WARE, AD SPECIALTY ITEMS, SODA LIME, SILICA, AND CERAMICWARE)

Product #	Description	Product #	Description
61R010	Satin Etch	63R511	Chrome Green
61R012	White	64R056	Blue
61R013	Vivid White	64R058	Blue
61R023	Flux	64R062	Blue
62R023	Sunlight	65R043	Pagoda Red
62R028	Yellow	65R050	Torch Red
62R029	Yellow	65R510	Ruby Red
62R521	Orange	66R045	Chocolate Brown
62R522	Dutch Orange	66R047	Autumn Brown
63R071	Green	67R010	Black
63R072	Green	67R020	Dense Black

Replacement Colors - Firing Temperature 1120 - 1160° F (600 - 630° C)

(FOR USE ON TUMBLER/CONTAINER-TYPE WARE, AD SPECIALTY ITEMS, SODA LIME, SILICA, AND CERAMICWARE)

Product #	Description	Product #	Description
61R012	White 206010	64R045	Soldier Blue 276180
61R013	Vivid White 206011	64R046	Blue 276179
62R022	Limelight Yellow 236134	64R049	Spruce Blue 276178
62R023	Sunlight 236136	65R042	Blue Red 211826
62R514	Tangerine 286102	65R043	Pagoda Red 216100
63R057	Green 266085	65R508	Deep Ruby 216099
63R059	Forest Green 262190	66R040	Chocolate Brown 296136
63R064	Grass Green 256129	66R041	Chocolate Brown 293993
63R508	Kentucky Blue 266086	67R008	Black 246006
		67R014	Midnight Black 246064

Low Expansion Colors for Glass - Firing Temperature 1140 - 1180° F (615 - 637° C)

(FOR USE ON SCIENTIFIC GLASSWARE AND DECORATIVE ART GLASS - colors appear bright, glossy, and opaque)

Product #	Description	Product #	Description
D201546	White	D261940	Blue Green
D211825	Yellow Red	D273890	Green Blue
D211828	Blue Red	D273892	Red Blue
D211830	Maroon	D273909	Dark Blue
D232783	Green Yellow	D281096	Orange
D232787	Orange Yellow	D293356	Red Brown
D232793	Gold Yellow	D293359	Brown
D242014	Black	D293362	Buff
D252175	Green	D293372	Dark Brown
D261936	Chrome Green	D293377	Dark Brown

WARNING: The materials used to manufacture the products in this catalog may contain lead and/or cadmium. Please refer to each product's [Safety Data Sheet](#).

Reusche Colors

Commercial Decorating Supplies

4-Color Process

4-Color Process Colors for Glass - Firing Temperature 1120 - 1140° F (604 - 615° C)

<u>Product #</u>	<u>Description</u>	<u>Product #</u>	<u>Description</u>
4794MB	Cyan Blue	4796MB	Black
4795MB	Red (Magenta)	4797MB	Yellow

Reusche Colors

Commercial Decorating Supplies

Silver Stains

Silver Stains for Glass - Firing Temperature 1050 - 1080° F (565 - 582° C)

(FOR USE ON ART GLASS AND FOR MARKING SCIENTIFIC WARE)

<u>Product #</u>	<u>Description</u>	<u>Product #</u>	<u>Description</u>
1382	Orange #1	1388	Orange Intense
1383	Orange #2	1390	Amber Intense
1384	Yellow #3	D292465	Amber Stain (H465)

Silver Stains for Glass - Firing Temperature 1000 - 1080° F (537 - 582° C)

(FOR USE ON ART GLASS AND FOR MARKING SCIENTIFIC WARE)

<u>Product #</u>	<u>Description</u>
1392	Silver Stain Intense #1
1394	Silver Stain Intense #2
1396	Silver Stain Intense #3

WARNING: The materials used to manufacture the products in this catalog may contain lead and/or cadmium. Please refer to each product's **Safety Data Sheet**.

Reusche Colors

Commercial Decorating Supplies

Overglaze Colors

High Gloss Low-Lead Release Overglaze Colors - Firing Temperature 1250 - 1450° F (670 - 788° C)

(FOR USE ON BONE CHINA, VITREOUS CHINA, EARTHENWARE, AND PORCELAIN)

<u>Product #</u>	<u>Description</u>	<u>Product #</u>	<u>Description</u>
HG9030	Black	HG9038	Flag Blue
HG9031	Sunshine Yellow	HG9039	Leather Brown
HG9032	Pumpkin Orange	HG9040	Midnight Brown
HG9033	Bright Orange	HG9041	CD Red
HG9034	Flame Red	HG9044	Grass Green
HG9035	White	HG9045	Everglade
HG9036	Flux	HG9046	Vivid Turquoise
HG9037	Ocean Blue	HG9047	Brown



1 KG (kilogram) = 2.2 pounds

WARNING: The materials used to manufacture the products in this catalog may contain lead and/or cadmium. Please refer to each product's **Safety Data Sheet**.

Hand-Painting, Gold & Grinding Mediums

Product #	Name	Description
1900	Dresden Thick Oil	For hand painting
1903	Medium for Painitng	For hand painting, fast drying
1903A	Painting Medium	Heavy-bodied for hand-painting
1905*	Medium for Paste	For raised gold and painting
1905A*	Outlining Medium	For thin line work
1906*	Tinting Medium	For background tinting
1906A*	Diluting Medium	For penwork with quills
1908	Balsam of Copaiba	Heavy-bodied for mixing
8976MB	Thin Balsam of Copaiba	Thin for mixing
1911	Venice Turpentine	For medium mixes, dries hard
1913	Tar Oil	Use with 1905 for raised effect
1915	Aniseed Oil	For mixing & painting, stays open
1916	Clove Oil	For mixing & painting, stays open
1917*	Lavender Oil	For mixing & diluting heavier oils
1928*	Pure Gum Spirits of Turpentine	Heavy-bodied for mixtures
1929*	Fry's Medium	For hand-painting
1569*	Elarco Gold Facilitator	For use with gold paste, thinner
7997MB	Pine Oil	For mixing, direct screen printing
D1368	Waterbase Medium	For hand-painting, cleans up with water
7905MB	Fat Oil	Heavy-bodied for painting on porcelain

Direct Screen Printing Mediums

Product #	Name	Description
163C	Squeegee Medium	Thick, for printing transparent colors
D175	Squeegee Oil	Excellent for general use - popular
8220MB	Squeegee Medium	Thick, for printing transparent colors, heavy loading - very hard drying

Indirect (Decal) Screen Printing Mediums

Product #	Name	Description
4700MB*	Decal Medium 208	Dries quickly, holds a large amount of color, use 4701MB or 4702MB covercoats
M2600	Decal Medium	Quick-drying, use with C2601 or C2602

*PLEASE NOTE ADDITIONAL HAZARDOUS SHIPPING CHARGES MAY APPLY

WARNING: The materials used to manufacture the products in this catalog may contain lead and/or cadmium. Please refer to each product's **Safety Data Sheet**.

Reusche Colors

Commercial Decorating Supplies

Oils & Mediums

Decal Covercoats

Product #	Name	Description
4701MB*	Decal Covercoat L406	Great flexibility, to be used with 4700MB
4702MB*	Decal Covercoat L406	Yellow Covercoat, same characteristics as 4701MB
C2601	Decal Covercoat	OPL Series replacement (Clear) for use with M2600, 63/23, & 63/292
C2602	Decal Covercoat	OPL Series replacement (Clear) for use with M2600, 63/23, & 63/292

Thermoplastic Mediums

Product #	Name	Description
D1171	Thermoplastic Medium	A waxed-based thermoplastic direct screen printing medium
MH19	Thermoplastic Medium	Waxed-based thermoplastic medium

Miscellaneous Supplies

Product #	Name	Details
2168	Decal Paper	Waterslide decal paper pkg. of 25 (12 1/2" x 18") sheets
2169	Decal Paper	Waterslide decal paper pkg. of 250 (12 1/2" x 18") sheets
52180	Tin Scope	Determine the tin side of the glass

PREMIXING - MINIMUM ORDER REQUIRED
Colors can be Premixed in Any of our Oils
on Pages 9 - 10



***PLEASE NOTE ADDITIONAL HAZARDOUS SHIPPING CHARGES MAY APPLY**

WARNING: The materials used to manufacture the products in this catalog may contain lead and/or cadmium. Please refer to each product's **Safety Data Sheet**.

Reusche Colors

Commercial Decorating Supplies

Brushes



SERIES 31S --- FRENCH BADGER
BLENDER Size 3



SERIES 32A --- ENGLISH GLASS STAINER
STIPLER Size 4



SERIES 32 --- GERMAN ROUND BADGER
BLENDER Size 6



SERIES 366 --- PONY HAIR ROUND
Size 2, 4, 6, or 8



SERIES 18 --- CAMEL HAIR MATTING BRUSH
Size 1 1/2



SERIES 890A --- TAKLON LONG LINER
Size 1 or 4



SERIES 33 --- GERMAN FITCH DEERFOOT
STIPLER Size 6



SERIES 892A --- TAKLON MEDIUM LINER
Size 1 or 4


WARNING: The materials used to manufacture the products in this catalog may contain lead and/or cadmium. Please refer to each product's **Safety Data Sheet**.

Reusche Colors

Commercial Decorating Supplies

Sundry Items

Gold Supplies - for Burnishing

Product #	Name	Details
1555	Burnishing Sand	5 pound minimum
2053	Burnishing Brush	Rope Wound
9040	Refillable Burnishing Brush	2 millimeter
9140	Refillable Burnishing Brush	4 millimeter
		
9042	Burnishing Brush Refill	2 millimeter
9242	Burnishing Brush Refill	8 millimeter

Bottling Supplies

Product #	Name	Details
800R	Clear Glass Bottles & Caps	1 ounce, Round
9900*	Respirator	Disposable, for toxic dust

*Dust masks are recommended when working with color

Mixing and Grinding Supplies

Product #	Name	Details
2028/4	Ground Glass Slab	4" x 4"
9003-4"	Steel Spatula	4" end
9003-5"	Steel Spatula	5" end

Miscellaneous Supplies

Product #	Name	Details
2168	Decal Paper	Waterslide decal paper pkg. of 25 (12 1/2" x 18") sheets
2169	Decal Paper	Waterslide decal paper pkg. of 250 (12 1/2" x 18") sheets
G1795	Gum Arabic Powder	Binder to be used when mixing w/water
52180	Tin Scope	Determine the tin side of the glass

WARNING: The materials used to manufacture the products in this catalog may contain lead and/or cadmium. Please refer to each product's **Safety Data Sheet**.

Reusche Colors

Commercial Decorating Supplies

Terms and Conditions

Minimum order amount is \$ 100.00 --- NO exceptions. Orders are accepted on the basis of cash, Visa, MasterCard, American Express, Discover or C.O.D. at the time of your first order. We would appreciate your resale tax number, phone, and fax numbers.

Office hours are 8:00 am - 4:30 pm Monday through Friday, MST

To avoid errors and misunderstandings, please order by item number as well as name.

We will not be liable for duplication of fax or phone orders followed by a written order that is not clearly marked "CONFIRMATION".

No order will be shipped without a complete shipping address: this includes a zip code, street address, and building or unit number, if any.

If you would like to open an account with us on terms of net cash upon receipt of merchandise, please request a credit application and provide us your bank reference and three commercial references. All references must be current. We do accept Visa, MC, American Express, and Discover. **All payments must be in US Dollars drawn on a US Bank.**

Precious metals (silver or gold) in the form of paste (jars and boxes), liquids, or contained in colors are payable upon receipt of invoice for customers with an open account. All others are paid in advance or shipped C.O.D. There will be NO exceptions.

Orders sent by UPS, DHL, and USPS will be insured against loss. Shipping and insurance will be added to the invoice. Shipments sent by truck or common carrier will be sent freight collect. A pallet charge will be added to shipments by truck.

International Shipments: All duties/taxes are the responsibility of the receiver and are not included in the cost of shipping and handling.

All goods are packed with the utmost care. All shipments contain a packing list which must correspond to the contents of the package. No claim will be allowed unless made within five days of receipt of the goods and after inspection of the goods by the carrier.

Invoices are sent under separate cover.

Backorders will be shipped as soon as they are available unless canceled by customer in writing.

Special requests for Safety Data Sheets (SDS) must be in writing.

There is a 25% restocking charge for returned catalog material upon approval. Non-catalog, special color matches, and color ground in oil are not returnable. All approved returns must be made within 30 days of invoice.

Minimum order per color of non-catalog colors is 5 pounds. Minimum for pre-mixed color in cold paste is 5 pounds; 10 pounds in spray medium, and 20 pounds for hot melt. Custom color matching also requires a 5 pound minimum --- a lab fee will apply.

All color is shipped in powder form unless specified otherwise. If you wish to receive your color in paste form, please specify which medium.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

PRICE BREAKS AT 5, 10, 20, 35, 50, 100, & 200+ POUNDS --- CALL US FOR A QUOTE!

WARNING: The materials used to manufacture the products in this catalog may contain lead and/or cadmium. Please refer to each product's **Safety Data Sheet**.

Schilling Inc.
Inks & Coatings Division

1299 H Street
Greeley, CO 80631