



## Reusche Colors

### Soft Alkaline Resistant Colors

**Profile:**

High gloss, opaque, vibrant color

**Firing Temperature:**

1120-1140 (604-615C) Firing cycles may vary based on kiln size, load size, substrate, etc.

**Mixibility:**



All colors within the range are fully intermixable, Testing recommended.

**Application:**

Supplied as powder or pastes for screen printing, either hot or cold, and for hand painting.

**Health & Safety:**

For detailed Health and Safety requirements consult the appropriate Material Safety Data Sheets.

	These colors contain lead and/or cadmium. Do not use on food bearing surfaces, toys or children's items.
	Dishwasher durability is high.

# Reusche Colors

## Soft Alkaline Resistant Colors

Recommended Firing Temperature 1120-1140F

---

Product Number	Description	Color Swatch
D201573	White	N/A
D20511	White	N/A
D211823	Yellow Red	
D21213	Blood Red	
D21364	Maroon	
D211829	Maroon	
D28581	Halloween Orange	
D281095	Orange	
D28108	Orange	
D232781	Green Yellow	
D23374	Yellow	
D23149	Lemon Yellow	
D232785	Orange Yellow	
D232791	Gold Yellow	
D23034	Yellow Brown	

# Reusche Colors

## Soft Alkaline Resistant Colors

Recommended Firing Temperature 1120-1140F

---

Product Number	Description	Color Swatch
D252173	Green	
D26171	Kelly Green	
D26173	Chrome Green	
D25199	Green Yellow	
D261235	Olive Green	
D261934	Chrome Green	
D25536	Aqua	
D26191	Turquoise Green	
D27768	Turquoise Blue	
D261938	Blue Green	
D273057	Powder Blue	
D271542	Pool Blue	
D273887	Green Blue	
D27440	Columbine Blue	
D273894	Red Blue	
D271874	Cobalt Blue	
D273907	Dark Blue	

# Reusche Colors

## Soft Alkaline Resistant Colors

Recommended Firing Temperature 1120-1140F

---

Product Number	Description	Color Swatch
D23258	Ivory	
D29153	Bone	
D292021	Flesh	
D22429	Baby Pink	
D22125	Rose Pink	
D28055	Salmon	
D29497	Tan	
D28155	Apricot	
D293364	Buff	
D293361	Brown	
D293354	Red Brown	
D24485	Grey	
D24114	Black	
D242012	Black	